

*100% COMFORT  
AND WATER  
RESISTANCE*

**HYGIENE  
COLLECTION**



# H<sub>2</sub>stOp.xt<sup>®</sup>



*THE NEW TECHNOLOGY  
PATENTED BY BASE  
PROTECTION MAKES THE SHOES  
COMPLETELY WATERPROOF.*



**NO  
SEAMS**

- *ABSENCE OF SEAMS*
- *NO MEMBRANE*
- *WATER AND DIRT REPELLENT UPPER*

*H<sub>2</sub>STOP.XT GUARANTEES THE HIGHEST LEVEL OF HYGIENE, COMFORT, RESISTANCE AND LIGHTNESS.*

**STRENGTHS**

- *EXCELLENT WATERPROOFNESS; NO WATER PENETRATION AFTER 10 HOURS OF TESTING*
- *COLD WASHABLE, EVEN IN THE WASHING MACHINE*
- *MORE BREATHABLE BECAUSE THERE IS NO MEMBRANE*
- *LIGHTER THAN SIMILAR STYLES EQUIPPED WITH A MEMBRANE*
- *SOCK CONSTRUCTION WITH ELASTANE FOR PRACTICAL WEAR*



### **ELASTANE**

Sock-fitting system, comfortable and quick, even when taking off.

### **DRY'N AIR OMNIA**

The Dry'n Air anatomical insole is removable and scented, with air circulation. Equipped with a system of channels and holes, it promotes air circulation between the foot and the sole. The result is maximum breathability and dry feet.

### **UPPER**

In water-repellent microfiber, without seams that end up in the sole, water resistant.

### **SLIMCAP**

Thin non-metallic tip: reduced tip thickness of 6.5 mm, 35% less than the market standard. Equipped with a perfectly shaped protective band on the toe to prevent pressure and pain on the toes.

### **LIFE PLUS**

Life Plus is the technology designed by Base Protection to guarantee grip and an anti-wear effect on the soles in work environments characterised by the constant presence of water, effectively lengthening the product's lifecycle.

### **AIRTECH SINGLE DENSITY**

Flexible and light anti-fatigue sole:

- adapts to any type of surface
- high slip resistance







# B0985B NAUTILUS



S6 CI FO SR (EN ISO 20345-2022)

S2 WR CI SRC (EN ISO 20345-2011)

Sizes: 35-48



### UPPER

Microfiber and water repellent Lycra®

### LINING

Elastane + SmellStop

### TOE CAP

SlimCap

### SOLE

AirTech monodensity anti-fatigue

# B0985A NAUTILUS BLACK



S6 CI FO SR (EN ISO 20345-2022)

S2 WR CI SRC (EN ISO 20345-2011)

Sizes: 35-48



### UPPER

Microfiber and water repellent Lycra®

### LINING

Elastane + SmellStop

### TOE CAP

SlimCap

### SOLE

AirTech monodensity anti-fatigue



# B0980 NATRIUM



**S2 SRC (EN ISO 20345-2011)**

S2 FO SR (EN ISO 20345-2022)

Sizes: **36-48**



**UPPER**

Water repellent microfiber

**LINING**

SmellStop anti-odour and antibacterial\*

**TOE CAP**

SlimCap

**SOLE**

AirTech monodensity anti-fatigue

# B0981 NATRIUM TOP



**S2 SRC (EN ISO 20345-2011)**

S2 FO SR (EN ISO 20345-2022)

Sizes: **36-48**



**UPPER**

Water repellent microfiber

**LINING**

SmellStop anti-odour and antibacterial\*

**TOE CAP**

SlimCap

**SOLE**

AirTech monodensity anti-fatigue





GOMBS  
69 € / kg



# B0537 LITIO



LifePlus



**S2 SRC (EN ISO 20345-2011)**

S2 FO SR (EN ISO 20345-2022)

Sizes: 35-48



**UPPER**

Water repellent microfiber

**LINING**

SmellStop anti-odour and antibacterial\*

**TOE CAP**

Steel

**SOLE**

AirTech anti-fatigue + Tpu-Skin

Life Plus technology

# B0540 VANADIO



LifePlus



**S2 SRC (EN ISO 20345-2011)**

S2 FO SR (EN ISO 20345-2022)

Sizes: 35-48



**UPPER**

Water repellent microfiber

**LINING**

SmellStop anti-odour and antibacterial\*

**TOE CAP**

Steel

**SOLE**

AirTech anti-fatigue + Tpu-Skin

Life Plus technology

B0962  
**KUMA**



**S2 SRC (EN ISO 20345-2011)**

S2 FO SR (EN ISO 20345-2022)

Sizes: 35-48



**UPPER**

Water repellent microfiber

**LINING**

SmellStop anti-odour and antibacterial\*

**TOE CAP**

SlimCap

**SOLE**

AirTech monodensity anti-fatigue

B0966  
**KUMA  
TOP**



**S2 FO SR (EN ISO 20345-2022)**

S2 SRC (EN ISO 20345-2011)

Sizes: 35-48



**UPPER**

Water repellent microfiber

**LINING**

SmellStop anti-odour and antibacterial\*

**TOE CAP**

SlimCap

**SOLE**

AirTech monodensity anti-fatigue







B0962B  
**KUMA  
BLACK**



**S2 SRC (EN ISO 20345-2011)**

S2 FO SR (EN ISO 20345-2022)

Sizes: 35-48



**UPPER**

Water repellent microfiber

**LINING**

SmellStop anti-odour and antibacterial\*

**TOE CAP**

SlimCap

**SOLE**

AirTech monodensity anti-fatigue

B0696  
**COOKING**



**S2 FO SR (EN ISO 20345-2022)**

S2 SRC (EN ISO 20345-2011)

Sizes: 36-47



**UPPER**

Water repellent microfiber

**LINING**

SmellStop anti-odour and antibacterial\*

**TOE CAP**

SlimCap

**SOLE**

AirTech anti-fatigue + Tpu-Skin

**B0507  
CLORO**



B0507N  
**CLORO N**  
Sizes: 36-48



**S2 SRC (EN ISO 20345-2011)**

S2 FO SR (EN ISO 20345-2022)

Sizes: 35-48



**UPPER**

Water repellent microfiber

**LINING**

SmellStop anti-odour and antibacterial\*

**TOE CAP**

Steel

**SOLE**

AirTech anti-fatigue

**B0509  
CADMIO**



**S1 FO SR (EN ISO 20345-2022)**

S1 SRC (EN ISO 20345-2011)

Sizes: 35-48

**UPPER**

Microfiber

**B0505  
OSMIO**



**SB E A FO SRC (EN ISO 20345-2011)**

SB E A FO SR (ISO 20345-2022)

Sizes: 35-47

**UPPER**

Microfiber



**B0510  
ARGO**



**S2 SRC (EN ISO 20345-2011)**

S2 FO SR (ISO 20345-2022)

Sizes: 35-48

**UPPER**

Water repellent microfiber





# B0508 CROMO



## S2 SRC (EN ISO 20345-2011)

S2 FO SR (EN ISO 20345-2022)

Sizes: 36-48



### UPPER

Water repellent microfiber

### LINING

SmellStop anti-odour and antibacterial\*

### TOE CAP

Steel

### SOLE

Monodensity sticking

# B0637 SKY



# B0636 BOB



## S1P ESD SRC (EN ISO 20345-2011)

S1PL ESD FO SR (ISO 20345-2022)

Sizes: 36-47



### UPPER

Microfiber

### LINING

SmellStop anti-odour and antibacterial\*

### INSERT

Fresh'n Flex

### TOE CAP

SlimCap

### SOLE

AirTech anti-fatigue + Tpu-Skin

## S3 ESD SRC (EN ISO 20345-2011)

S3L ESD FO SR (ISO 20345-2022)

Sizes: 36-47



### UPPER

Microfiber e Lycra® idrorepellente

### LINING

SmellStop anti-odour and antibacterial\*

### INSERT

Fresh'n Flex


### TOE CAP

SlimCap

### SOLE

AirTech anti-fatigue + Tpu-Skin

\*Antibacterial according to EN ISO 20743:2013. Treated with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 or with a mixture of Sodium Docusate CAS-No. 577-11-7 and ethanol (CAS-No. 200-578-6) and in accordance with Regulation 528/2012/EU.



*WHICH FOOT ARE YOU? ASK*

# SCAN&FIT

*UNIQUE COMFORT EXPERIENCE.*

Scan & Fit is the new Base Protection App that **turns your smartphone into a 3D scanner**, to suggest the footwear and footbed that best suit your feet, your work and your safety needs.



## HOW DOES IT WORK?

Download the App or contact your trusted reseller to:



①

scan your foot for free



②

discover the most suitable Base Protection footwear



③

identify the corresponding size



④

match the ideal footbed to the morphology of your foot



# FOR EACH FOOT, ITS OWN COMFORT.

What morphotype are you?


**Dry'n Air®**  
SCAN&FIT RECORD



**Dry'n Air®**  
SCAN&FIT OMNIA



**Dry'n Air®**  
OMNIA ZERO



Fabric surface with **X Static®** yarns containing silver fibres, along with **HeiQ Pure SPQR®** antibacterial and anti-odour treatment.



With the **Scan&Fit footbed**, when combined with your **Base Protection footwear**, the certification of your footwear is maintained in compliance with the **EN ISO 20345:2011** and **EU 425:2016** standards. All Scan&Fit insoles are CE certified as a class 1 medical device according to Regulation (EU) 2017/745.

The **Dry'n Air® Omnia Zero** footbed enhances the comfort of footwear by increasing the thermal insulation of the foot through the addition of a thin layer of aluminum, which reduces heat loss through the radiation of foot heat.

The soles are equipped with technology **Dry'n Air®**:



A system of channels and holes allows air circulation inside the shoe, keeping the foot cool and dry.



Cushioning area positioned in the heel, which reduces pressure.



Discharge area in the center of the heel to prevent possible inflammation.



Materials that constantly discharge electrostatic charges to the ground, making them compatible with all ESD styles of Base Protection.



***HYGIENE***  
***COLLECTION***





**Base Protection Srl Unipersonale**

Italy - 76121 Barletta (BT)  
Via dell'Unione Europea, 61  
T +39 0883 334811  
F +39 0883 334824  
E [info@baseprotection.com](mailto:info@baseprotection.com)  
W [www.baseprotection.com](http://www.baseprotection.com)

